Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	(manag\$4 near10 configur\$5 near10 (resource\$1 or device\$1) near10 database\$1) and 709/223-225.ccls. and 709/220-221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:51
L2	2	(manag\$4 near10 configur\$5 near10 (resource\$1 or device\$1) near10 SNMP) and 709/223-225.ccls. and 709/220-221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52
L3	39	(manag\$4 near10 configur\$5 near10 (resource\$1 or device\$1) near10 SNMP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52
L4	31	719/322.ccls and 709/223-226. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52
L5	11	709/220-222.ccls. and 707/10,104. 1.ccls. and database\$1 near10 monitor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52
L6	3	(NMS near3 process\$3) and 709/223-225.ccls. and 709/220-221. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52
L7	333	manag\$4 near10 configur\$5 near10 (resource\$1 or device\$1) near10 database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52
L8	30	(process processes) near10 (register\$4) near10 flex\$6 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52
L9	18	(manag\$4 near10 configur\$5 near10 (resource\$1 or device\$1) near10 database\$1) and 709/223-225.ccls. and 709/220-221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52
L10	3	(NMS near3 process\$3) and 709/223-225.ccls. and 709/220-221. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52

Search History 1/17/06 1:53:28 PM Page 1
C:\Documents and Settings\JAvellino\My Documents\EAST\Workspaces\09\574435.wsp

				_		
L11	60	709/223-225.ccls. and 709/220-221. ccls. and database\$1 near10 monitor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:52
S1	144	manag\$4 near10 configur\$5 near10 (resource\$1 or device\$1) near10 database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:16
S27	94	(process thread\$1) near10 (id\$1 identifier\$4) near10 (notify notification\$1 notifying) and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/02 09:00
S28	15	transparent\$4 near10 (restart\$4) near10 (process processes thread\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/02 09:01
S29	35	transparent\$4 near10 (upgrad\$4) near10 (process processes thread\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/02 09:02
S30	1	transparent\$4 near10 (upgrad\$4) near10 (process processes thread\$1) and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/02 09:02
S31	0	modular\$4 near10 (process thread\$1) near5 (ID\$1 identifier\$4) near10 (notify notifying notification) and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/02 09:05
S32	66	(process thread\$1) near5 (ID\$1 identifier\$4) near10 (notify notifying notification) and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/02 09:04
S33	4	(name\$4) near10 device\$4 near10 process same flexibl\$4 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/02 09:05
S34	11	(name\$4) near10 device\$4 near10 process same dynamic\$4 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	OFF	2006/01/02 09:05

S35	0	dynamic\$4 near10 (process thread\$1) near5 (ID\$1 identifier\$4) near10 (notify notifying notification) and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/02 09:05
S36	0	719/322.ccls. and 719/328.ccls. and 709/223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:17
S37	6	719/322.ccls. and 719/328.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:16
S38	0	719/322.ccls and 709/223-226. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:17
S39	0	719/322.ccls. and 709/223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:17
S40	41	719/322.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:17
S41	3	719/322.ccls. and @ad<"20000520" and process near5 (identifier\$4 number\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:23
S42	87555	@ad<"20000520" and process near5 (identifier\$4 number\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:41
S43	0	@ad<"20000520" and process near5 (identifier\$4 number\$1) near10 name adj server41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:41
S44	5	@ad<"20000520" and process near5 (identifier\$4 number\$1) near10 name adj server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:51

S45	82	@ad<"20000520" and process near10 name adj server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:51
S46	10	@ad<"20000520" and process near10 name adj server\$1 and "719"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 08:51
S47	5	IPC same (process processes) near10 (ID identifier\$1 number\$1) near10 register\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 09:01
S48	3217	(process processes) near10 (ID identifier\$1 number\$1) near10 register\$4 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 09:01
S49	65	(process processes) near10 (ID identifier\$1 number\$1) near10 register\$4 and @ad<"20000520" and "719".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 09:59
S50	402	(process processes) near10 (ID identifier\$1 number\$1) near10 notif\$9 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:08
S51	175	(process processes) near10 (ID\$2 identifier\$1 ) near10 notif\$9 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:00
S52	19	(process processes) near10 (ID\$2 identifier\$1 ) near10 notif\$9 and @ad<"20000520" and restart\$4 near10 (process processes thread\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:08
S53	0	(process processes) near10 (ID\$2 identifier\$1 pid\$1) near10 notif\$9 and @ad<"20000520" and restart\$4 near10 (process processes thread\$1) not S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:07
S54	1	(process processes) near10 (ID\$2 identifier\$1 ) near10 notif\$9 and @ad<"20000520" and restart\$4 near10 (transparent\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:08

S55	383	(process processes) near10 (ID identifier\$1 number\$1) near10 flex\$6 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:09
S56	0	(process processes) near10 (ID identifier\$1 number\$1) near10 flex\$6 and @ad<"20000520" and 719/clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:09
S57	2	(process processes) near10 (ID identifier\$1 number\$1) near10 flex\$6 and @ad<"20000520" and "719".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:17
S58	0	(process processes) near10 (ID identifier\$1) near10 flex\$6 and @ad<"20000520" and "719".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:17
S59	5	(process processes) near10 (ID identifier\$1) near10 flex\$6 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:50
S60	0	name adj server\$1 same PID near10 flex\$6 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:18
S61	9	name adj server\$1 same PID and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:28
S62	0	IPC same assign\$4 near10."new" near10 PID and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:28
S63	3	"719".clas. and assign\$4 near10 "new" near10 PID and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:29
S64	·29	assign\$4 near10 "new" near10 PID and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:29

				Y	,	
S65	62	assign\$4 near10 "new" near10 (process near5 (identifier\$1 ID\$1) PID) and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:41
S66	7	("5644719"   "5802590"   "5894555"   "5974134"   "6108715"   "6119145"   "6253225").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 10:31
S67	2	notif\$7 near10 "new" near10 (process near5 (identifier\$1 ID\$1) PID) and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:43
S68	30	(process processes) near10 (register\$4) near10 flex\$6 and @ad<"20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:51
S69	0	(process processes) near10 (register\$4) near10 flex\$6 and @ad<"20000520" and "719".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:51
S70	353	(process processes) near10 (register\$4) and @ad<"20000520" and "719".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:52
S71	44	(process processes) near10 (register\$4) and @ad<"20000520" and "719"/318.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:53
S72	4	(process processes) near10 (register\$4) same notif\$6 and @ad<"20000520" and "719"/318. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:55
S73	1	(updat\$4) near10 (register\$4) same notif\$6 and @ad<"20000520" and "719"/318.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 10:55
S74	4	("6401138").URPN.	USPAT	OR	OFF	2006/01/12 10:58
S75	13	("5226117"   "5345551"   "5448738"   "5485617"   "5530865"   "5546580"   "5592664"   "56664207"   "5666492"   "5752159"   "5835089"   "5862377"   "5946659").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 11:04

S76	30	notif\$10 near10 "new" near10 (process processes) near10 (identifier\$1 ID\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 11:18
S77	92	register\$5 near10 "new" near10 (process processes) near10 (identifier\$1 ID\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 11:18
S78	37	register\$5 near10 "new" near10 (process processes) near10 (identifier\$1 ID\$1) and @ad< "20000520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/12 11:18

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library C The Guide

network\* <paragarph> active <sentence> quer\* <paragraph: SEÄRCH

## Search Error

Your search for network\* <paragarph> active <sentence> quer\* <paragraph> flex\* <sentence> (identifier\* PID) contains invalid or malformed syntax.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

## **Quick Tips**

• Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

 Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

 Narrow your searches by using a + if a search term <u>must appear</u> on a page.

museum +art

• Exclude pages by using a - if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player





Home | Login | Logout | Access Information | Alerts | Sitemap | Help

## Welcome United States Patent and Trademark Office

☐ Search Session History

BROWSE

SEARCH

IEEE XPLORE GUIDE

**SUPPORT** 


Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- · Delete a search
- Run a search

Tue, 17 Jan 2006, 2:23:13 PM EST

Search Query Display



**Recent Search Queries** 

Results

(((network\* <paragraph> active <paragraph> quer\* <paragraph>
flex\* <paragraph> (identifier\* pid) )<in>metadata)) <and> (pyr
>= 1950 <and> pyr <= 2000)

0

n market and a second s

Indexed by

Help Contact Us Privacy & Security IEEE.org

© Copyright 2005 IEEE – All Rights Reserved